# NOAA 2020 Arctic Report Card

Observing 15 Years of Arctic Change





# NOAA 2020 Arctic Report Card

Observing 15 Years of Arctic Change



- 15 year Retrospective of the Arctic Report Card
- ➤ Observational Foundation of the ARC the Arctic Observing Network
- New Arctic Data Center Portal

#### Vital Signs


Surface Air Temperature
Terrestrial Snow Cover
Greenland Ice Sheet
Sea Ice
Sea Surface Temperature
Arctic Ocean Primary
Productivity
Tundra Greenness

#### Indicators


Glaciers & Ice Caps outside of Greenland Permafrost Coastal Erosion Bowhead Whales Wildland Fires

Frost Bites
MOSAiC Expedition
Modeling & Projections of
Arctic Sea Ice Cover
Barrow Observatory





### 2020 ARCTIC SEA ICE SUMMER MINIMUM SECOND LOWEST ON RECORD



100

September 15, 2020 Sea ice concentration (percent)

15





### Wildland Fire in High Northern Latitudes

A. York, U. Bhatt, E. Gargulinski, Z. Grabinski, P. Jain, A. Soja, R. Thoman, R. Ziel



### BURNED AREA IN ALASKA-2109200

Hectares (ha)




Figure by R. Thoman, data from Alaska Interagency Coordination Center

Large fire seasons or unusual fire activity since 2000

**Alaska:** 2004, 2005, 2007, 2009, 2015, 2019

Northern Canada: 2014 and 2016

Greenland: 2017

Fennoscandia: 2018

Northern Russia: 2002, 2012, 2018, 2019, 2020





## FIRE FUELS ARE INCREASINGLY FLAMMABLE THE NORTHERN HIGH LATITUDES

# Russia Finland Norway ARCTIC OCEAN Greenland

June trend in flammability Build-up Index

-50

1979-2019


NOAA Climate.gov


Data: U. Bhatt/ARC 2020

### **DUFF FUELS**



### EXTREME FIRE SEASON IN SAKHA REPUBLIC OF NORTHEASTERN RUSSIA










# DAILY CUMULATIVE NUMBER OF ACTIVE FIRE PIXELS DETECTED WITHIN THE ARCTIC CIRCLE (NASA MODIS)




2020 is the record fire year within the Arctic Circle, mostly due to fires in Sakha, Russia



Source: https://sites.google.com/view/sanderveraverbeke/2020arctic-fire-season

# Bowhead Whales: recent insights into their biology, status, and resilience


J.C. George, S.E. Moore, and J.G.M. Thewissen



- Only true arctic baleen whale
- Bering-Chukchi-Beaufort & East Canada-West Greenland healthy growing
- Okhotsk Sea & East Greenland -Svalbard -Barents at risk

### BOWHEAD WHALES HAVE UNIQUE ANATOMICAL & PHYSIOLOGICAL TRAITS

- Thickest blubber, longest baleen, raised rostrum, ice -associated but not dependent
- Can live over 200 years
- Their sequenced genome may advance medical knowledge related to cell senescence, bone biology, fat metabolism, cancer resistance, etc.
- Scientists and Indigenous hunters collaborate on health monitoring



# BOWHEAD WHALES ARE A PRIME INDICATOR OF ARCTIC MARINE ECOSYSTEM HEALTH AND VARIABILITY

- Sea ice loss led to increases in primary production & transport of zooplankton, benefitting bowheads
- Threats include industrial fishing & shipping, entanglement, orca predation, oil and gas activity, baleen whale competitors, climate warming












MOSAIC M. Shupe, M. Rex & Co-Authors

Photo: Matthew Shupe


















## Happy 15 Year Anniversary!











# 15- Year Retrospective

Putting things in context










# Eye Witness to Arctic Change









# Thank You!






## **EXTRA SLIDES**



## Arctic Sea Ice Minimum 2020







### Summer 2020 Arctic Snow and Ice Melt





